


700/304L

Curva 3D 90° da tubo saldato
 Welded elbow 3D 90°
 Rohrbogen Geschweisst BA3 90°
 Courbe 3D 90° à souder
 Codo 3D 90°

Norma: EN 10253-3 (DIN 2605)



AISI 304L / W. 1.4307

SPESSORE / THICKNESS 2 mm

Codice Code	DN	DN inch	D mm	S mm	R mm	gr	
700213304	15	1/2"	21,3	2	28	40	10
700269304	20	3/4"	26,9	2	29	60	10
700337304	25	1"	33,7	2	38	100	10
700424304	32	1"1/4	42,4	2	48	155	10
700483304	40	1"1/2	48,3	2	57	215	10
700603304	50	2"	60,3	2	76	350	10
700761304	65	2"1/2	76,1	2	95	560	5
700889304	80	3"	88,9	2	114	810	5
700101304	90	3"1/2	101,6	2	133,5	954	4
700114304	100	4"	114,3	2	152	1300	4
700139304	125	5"	139,7	2	190	2100	3
700168304	150	6"	168,3	2	229	2840	1
700219304	200	8"	219,1	2	305	5150	1

Tolleranze dimensionali / Dimensional tolerances

D = il maggiore tra / the bigger between $\pm 1\% \times D / \pm 0,5 \text{ mm}$


S = $-12,5\% \times S / +20\% \times S$

R = $\pm 2 \text{ mm}$

701/304L

Curva 3D 90° da tubo saldato
Welded elbow 3D 90°
Rohrbogen Geschweisst BA3 90°
Courbe 3D 90° à souder
Codo 3D 90°

Norma: EN 10253-3 (DIN 2605)



AISI 304L / W. 1.4307

SPESSORE / THICKNESS 3 mm


Codice Code	DN	DN inch	D mm	S mm	R mm	gr	
701337304	25	1"	33,7	3	38	140	10
701424304	32	1"1/4	42,4	3	48	210	10
701483304	40	1"1/2	48,3	3	57	318	10
701603304	50	2"	60,3	3	76	500	10
701761304	65	2"1/2	76,1	3	95	640	5
701889304	80	3"	88,9	3	114	1130	5
701101304	90	3"1/2	101,6	3	133,5	1524	4
701114304	100	4"	114,3	3	152	1575	4
701139304	125	5"	139,7	3	190	3135	3
701168304	150	6"	168,3	3	229	4390	1
701219304	200	8"	219,1	3	305	7365	1

Tolleranze dimensionali / Dimensional tolerances

D = il maggiore tra / the bigger between $\pm 1 \% \times D / \pm 0,5 \text{ mm}$

S = $-12,5\% \times S / +20 \% \times S$

R = $\pm 2 \text{ mm}$

706/304L

Curva metrica 90° da tubo salda
Metric welded elbow 90°
Metrische geschweisste Rohrbog
Courbe metrique 90° à souder
Codo 90° medida métrica de tub

Norma: EN 10253-3 (DIN 2605)

AISI 304L / W. 1.4307


SPESSORE / THICKNESS 1,5 mm

Codice Code	D mm	S mm	R mm	gr		
706180304	18	1,5	25	30	10	
706200304	20	1,5	30	30	10	
706230304	23	1,5	35	40	10	
706250304	25	1,5	37	50	10	
706280304	28	1,5	40	60	10	
706300304	30	1,5	45	80	10	
706330304	33	1,5	50	80	10	
706350304	35	1,5	52,5	90	10	
706380304	38	1,5	55	110	10	
706400304	40	1,5	60	130	10	
706430304	43	1,5	65	150	10	
706508304	50,8	1,5	76	220	10	
706530304	53	1,5	80	250	10	
706635304	63,5	1,5	95	320	10	
706700304	70	1,5	92	500	5	
706730304	73	1,5	110	530	5	

707/304L

Curva metrica 90° da tubo salda
 Metric welded elbow 90°
 Metrische geschweisste Rohrbo
 Courbe metrique 90° à souder
 Codo 90° medida métrica de tu

Norma: EN 10253-3 (DIN 2605)



AISI 304L / W. 1.4307

SPESSORE / THICKNESS 2 mm

Codice Code	D mm	S mm	R mm	gr		
707200304	20	2	30	40	10	
707250304	25	2	37	60	10	
707300304	30	2	45	100	10	
707380304	38	2	55	140	10	
707400304	40	2	60	180	10	
707445304	44,5	2	65	200	10	
707500304	50	2	71	310	5	
707540304	54	2	80	330	5	
707570304	57	2	85,5	400	5	
707700304	70	2	92	460	5	
707840304	84	2	125	830	3	
707104304	104	2	155	1190	3	
707108304	108	2	142,5	1500	3	
707129304	129	2	190	2000	2	